

# API Endpoints

The Blue Pill system manager provides multiple API endpoints, that can be triggered by simple http requests. This can be useful in advanced scenarios, where external systems should trigger changes on a panel.

This is an advanced topic and basic knowledge of HTTP commands and control API's is expected.

## Monitoring Package Status

The status of a package can be enquired by the following call.

This requires a POST request to the endpoint: `/api/controlpackage/[package_name]`

Curl example:

```
curl 'http://192.168.0.20/api/controlpackage/core-bmd-atem' \  
-H 'Content-Type: application/json' \  
--data-raw '{"Action": "status"}' \  
--insecure
```

*(if authentication is enabled it needs HTTP BasicAuth as well with username and password)*

This will return a json response, like this:

```
{"Status":"ok","Data":{"runState":true,"startOnBoot":false,"packageHasControl":true,"ingressPath":"","inMenu":false}}
```

## Switching Reactor Projects

Reactor allows to switch the current project via an external HTTP POST request.

The endpoint used is: `/reactorapi/selectproject`

This request allows to use the skaarOS authentication via HTTP Basic Authentication (Use the latest version of system-manager to allow this (v1.0.1-pre1 and higher))

Curl example:

```
curl --location --request POST '192.168.0.20/reactorapi/selectproject' \  
--header 'Authorization: Basic YWRtaW46c2thYXJob2o=' \  
--header 'Content-Type: application/json' \  

```

```
--data-raw '{"Filename":"MyProject"}'
```

### Toggle Raw Panel Mode

Raw Panel Mode can be enabled/disabled on a Blue Pill inside panel.

This requires a POST request to the endpoint: `/api/setrwpconfig`

Curl example:

```
curl 'http://192.168.0.20/api/setrwpconfig' \  
-H 'Content-Type: application/json' \  
--data-raw '{"Activate":true}' \  
--insecure
```

*(if authentication is enabled it needs HTTP BasicAuth as well with username and password)*

### Toggle Package Status

A package running on a Blue Pill device, can be started or stopped by a API call.

This requires a POST request to the endpoint: `/api/controlpackage/[package_name]`

Curl example:

```
curl 'http://192.168.0.20/api/controlpackage/reactor' \  
-H 'Content-Type: application/json' \  
--data-raw '{"Action": "start"}' \  
--insecure
```

*(if authentication is enabled it needs HTTP BasicAuth as well with username and password)*

Revision #7

Created 19 May 2025 06:18:20 by Samuel Jakobsen

Updated 17 June 2025 11:50:11 by Heather Pedersen