

Packages

Blue Pill being a Linux system has a number of system settings and a package management interface. From this interface it is possible to add new, remove unneeded, update, and monitor the packages needed to control the panels and the devices.

Required Packages

The following Packages are needed for Blue Pill operation.

Installed Packages			
Search...			
Status ▲	Package Name	Package Description	Versions
● Running	hardware-manager	Connecting the native panel to reactor	1.0.3-pre10 ▼
● Running	system-manager	skaarOS init system and webui	1.0.2-pre8 ▼
● Running	reactor	main application for connecting hardware and device cores	1.1.0-pre2 ▼

hardware-manager is the application that facilitates access to the hardware features of the Blue Pill. On an RCP Pro with Blue Pill Inside the hardware-manager application creates the Raw Panel based access to the hardware components of the RCP Pro (so even when Blue Pill runs natively on a controller like RCP Pro, it is still using a network socket to talk to the hardware on the panel, so in that way it is no different from connecting to external panels!).

system-manager is the system management UI for skaarOS.

Reactor is what most will generally think of as the Blue Pill. This is the platform where panels, devices, and configurations are added.

Installed Packages

The overview page shows which packages are currently installed and in which version; whether they are running or not. In this screenshot the Blue Pill has device cores for BMD Atem, Canon XC Protocol, BMD Camera Control, BMD Smartview, NetIO Power Socket, and Panasonic PTZ cameras. They are all stopped except the BMD Atem and Canon XC packages. An installed core will generally stop running when there are no devices that use it currently in the devices section for project. This is designed to save processing power while allowing for packages to be loaded onto the Blue Pill for later use.

Installed Packages			
Search...			
Status ▲	Package Name	Package Description	Versions
● Running	core-bmd-atem	core for BlackMagicDesign ATEM Video Mixers	1.0.2-pre24 ▼
● Running	core-canon-xc	Core for Canon cameras supporting the XC protocol	1.0.3-pre1 ▼
● Running	hardware-manager	Connecting the native panel to reactor	1.0.3-pre10 ▼
● Running	system-manager	skaarOS init system and webui	1.0.2-pre8 ▼
● Running	reactor	main application for connecting hardware and device cores	1.1.0-pre2 ▼
● Stopped	core-bmd-camctrl	Blackmagic Camera Control	0.0.3-pre3 ▼
● Stopped	core-bmd-smartview	Core for Blackmagic Design SmartView and SmartScope	1.0.1 ▼
● Stopped	core-netio-powersocket	Core for NETIO Power Management Devices	1.0.0 ▼
● Stopped	core-panasonic-ptz	Panasonic PTZ Broadcast IP Cameras	1.0.3-pre3 ▼


Available Packages

Not much different from the list of installed packages, are the available packages. This list is growing all of the time as we add new integrations.

Available Packages			
Search...			
Package Name	Package Description	Versions	
core-aja-colorbox	AJA ColorBox device core	1.1.0 ▼	<button>Install</button>
core-aja-kumo	Core for AJA KUMO routers	1.0.1 ▼	<button>Install</button>
core-arri-camera	core to control ARRI Cinema Cameras via CAP and SSCP	1.0.0 ▼	<button>Install</button>
core-bmd-videohub	core for BlackMagic Design Videohub control	1.0.0 ▼	<button>Install</button>
core-directout-prodigy	Direct Out Device Core for Blue Pill	0.2.0 ▼	<button>Install</button>

When connected to the internet the needed package for a device core will generally auto install when a device associated with it is selected via the devices section of the Home screen. Installing new packages requires internet access as they are pulled from an online storage with applications we have published.

Please note, prerelease updates are only available when using the Show Pre-Release toggle at the top of the page.



If working in a offline environment, it is possible to manually upload a device core package from a file on your computer. This is done from the Upload and install package button at the bottom of the Packages page.

Want to install a package manually?

Upload and install package

All of our current stable release and prerelease of our cores are available on our website devices.skaarhoj.com.

Package Details

Clicking an installed package brings opens the settings page of the package.

Package > core-canon-xc, Version: 1.0.3-pre1 Core for Canon cameras supporting the XC protocol

● Running

Stop

Restart

Auto Start ☒

Clear config directory

Download Logs

Uninstall

Warning

While Reactor is running the configuration of all the cores will be synced from the Home Page, overriding changes made in the individual packages. Only make changes on this page while reactor stays disabled on this Blue Pill (useful in some use cases).

Show Config anyways

```
2023-08-15, 11:41:23 info Loading parameters for: CR-N300 module=main
2023-08-15, 11:41:23 info Detected Digest Authentication on devID: 1 IP: 192.168.10.224 module=main
2023-08-15, 11:41:23 info Trying to connecting to device on 192.168.10.224 module=main
2023-08-15, 11:41:23 warning Persistent Storage is Disabled, all Preset Thumbnails, Preset Mode and Trace Mode settings will be deleted on reboot module=main
2023-08-15, 11:41:23 warning DevID: 1 - IP: 192.168.10.224 - SesID: afff-5a5e3082 - LastID: afff-5a5e3082 module=main
2023-08-15, 11:41:24 error Invalid ID for: DeviceID 1, ParameterID 1113393746 module=ib/manager
2023-08-15, 11:41:24 error id:{parameter:1113393746 device:1} error:UnknownID module=ib/manager paramID=1113393746
2023-08-15, 11:41:24 error Invalid ID for: DeviceID 1, ParameterID 1113393746 module=ib/manager
2023-08-15, 11:41:24 error id:{parameter:1113393746 device:1} error:UnknownID module=ib/manager paramID=1113393746
2023-08-15, 11:57:38 info core-canon-xc started, version v1.0.3-pre1 (d62b2d4) - skaaros_prod branch: HEAD - 2023-05-29T17:38:11+0000 module=main
2023-08-15, 11:57:38 info License valid, device:bluepill module=main
2023-08-15, 11:57:38 info Running core in: skaaros_prod module=main
2023-08-15, 11:57:38 info Loading parameters for: CR-N300 module=main
2023-08-15, 11:57:38 info Loading parameters for: EOS-C500 module=main
```

Clear

From the Package/Core Settings page it is possible to see the current status, stop or restart, and set Auto start. This can be a helpful tool if the core is not acting properly.

Package > core-canon-xc, Version: 1.0.3-pre1

● Stopped

Start

 Restart Auto Start ☒

Package > core-canon-xc, Version: 1.0.3-pre1

● Running Stop Restart Auto Start ☐

All connected devices to the package are not visible by default, they can be seen, along with their current settings, by clicking on Show Config anyways in the Warning box. While it is possible to update them from this page, **it is advised to add and adjust them from the Home page, as the data is synced from there.**

Warning

While Reactor is running the configuration of all the cores will be synced from the Home Page, overriding changes made in the individual packages. Only make changes on this page while reactor stays disabled on this Blue Pill (useful in some use cases).

Show Config anyways

Persistent Storage



Save thumbnails and preset settings between reboots, if disabled it will clear all saved data!

Devices

Active



Name

Device Id

1

Unique number identifier for this device

Model Id

1

The model type of the device

Description

Canon CR-N500

IP

Enter IP or FQDN...

The IP for the camera

Username

The Username for the Canon device

Device Password

The password that is set on the device

Authentication Type

Not Set



The authentication method to use when connecting to the device

Remove

Add Entry

Reset to defaults

Save and restart

On the the left the package logs can be seen and downloaded. This can be used for troubleshooting and may be requested by the support or development team for diagnostics.

Clear config directory

Download Logs

Uninstall

5a5e3082 - LastID: afff-5a5e3082 module=main

2023-08-15, 11:41:24 **error** Invalid ID for: DeviceID 1, ParameterID 1113393746 module=ib/manager

2023-08-15, 11:41:24 **error** id:{parameter:1113393746 device:1} error:UnknownID module=ib/manager paramID=1113393746

2023-08-15, 11:41:24 **error** Invalid ID for: DeviceID 1, ParameterID 1113393746 module=ib/manager

2023-08-15, 11:41:24 **error** id:{parameter:1113393746 device:1} error:UnknownID module=ib/manager paramID=1113393746

2023-08-15, 11:57:38 **info** core-canon-xc started, version v1.0.3-pre1 (d62b2d4) - skaaros_prod branch: HEAD - 2023-05-29T17:38:11+0000 module=main

2023-08-15, 11:57:38 **info** License valid, device:bluepill module=main

2023-08-15, 11:57:38 **info** Running core in: skaaros_prod module=main

2023-08-15, 11:57:38 **info** Loading parameters for: CR-N300 module=main

2023-08-15, 11:57:38 **info** Loading parameters for: EOS-C500 module=main

2023-08-15, 11:57:38 **info** Loading parameters for: EOS-C300 module=main

2023-08-15, 11:57:38 **info** Loading parameters for: XF605 module=main

2023-08-15, 11:57:38 **info** Loading parameters for: CR-X300 module=main

2023-08-15, 11:57:38 **info** Loading parameters for: CR-N700 module=main

2023-08-15, 11:57:38 **info** Loading parameters for: EOS-C70 module=main

2023-08-15, 11:57:38 **info** Loading parameters for: CR-N500 module=main

2023-08-15, 11:57:38 **error** IP address has not set for deviceID '1': '' module=main

Clear

Clear Config Directory will delete everything that was saved onto the Blue Pill by that specific package and return it to its default settings. This can sometimes be useful if the device core packages is not running properly.

Clearing the Config Directory for the Reactor package will erase all projects on the device. It is suggested to export any needed project before clearing the config directory of that package.

It is also possible to completely Uninstall a package from this page. Doing so will not remove previously connected devices, but will cause them to be disconnected.

When setting the Blue Pill into advanced mode, filtering options become available for the core logs.

```
5a5e3082 - LastID: afff-5a5e3082 module=main
2023-08-15, 11:41:24 error Invalid ID for: DeviceID 1, ParameterID 111339
3746 module=ib/manager
2023-08-15, 11:41:24 error id:{parameter:1113393746 device:1} error:Unkno
wnID module=ib/manager paramID=1113393746
2023-08-15, 11:41:24 error Invalid ID for: DeviceID 1, ParameterID 111339
3746 module=ib/manager
2023-08-15, 11:41:24 error id:{parameter:1113393746 device:1} error:Unkno
wnID module=ib/manager paramID=1113393746
2023-08-15, 11:57:38 info core-canon-xc started, version v1.0.3-pre1 (d62
b2d4) - skaaros_prod branch: HEAD - 2023-05-29T17:38:11+0000 module=main
2023-08-15, 11:57:38 info License valid, device:bluepill module=main
2023-08-15, 11:57:38 info Running core in: skaaros_prod module=main
2023-08-15, 11:57:38 info Loading parameters for: CR-N300 module=main
2023-08-15, 11:57:38 info Loading parameters for: EOS-C500 module=main
2023-08-15, 11:57:38 info Loading parameters for: EOS-C300 module=main
2023-08-15, 11:57:38 info Loading parameters for: XF605 module=main
2023-08-15, 11:57:38 info Loading parameters for: CR-X300 module=main
2023-08-15, 11:57:38 info Loading parameters for: CR-N700 module=main
2023-08-15, 11:57:38 info Loading parameters for: EOS-C70 module=main
2023-08-15, 11:57:38 info Loading parameters for: CR-N500 module=main
2023-08-15, 11:57:38 error IP address has not set for deviceID '1': ' ' mo
dule=main
```

Select Log Level

Empty



String

Save

Reset

Clear

Updating Packages


Updating packages or reverting to older versions of packages is simple.

Generally Updating or Downgrading a device core package requires internet connectivity to our servers, however we do offer an offline update method.

Packages with updates available with updates available with have a green UPDATE TO X.X.X button next to the current version. Pressing the update button will update that individual package. Pressing the Update All button on the top will run all available package updates.

Installed Packages			Update
Search...			
Status ▲	Package Name	Package Description	Versions
Running	core-bmd-atem	core for BlackMagicDesign ATEM Video Mixers	1.0.2-pre24 ▼
Running	core-canon-xc	Core for Canon cameras supporting the XC protocol	1.0.3-pre1 ▼
Running	hardware-manager	Connecting the native panel to reactor	1.0.2 ▼ Update to 1.0.3-pre10
Running	system-manager	skaarOS init system and webui	1.0.2-pre8 ▼
Running	reactor	main application for connecting hardware and device cores	1.1.0-pre2 ▼
Stopped	core-bmd-camctrl	Blackmagic Camera Control	0.0.3-pre3 ▼
Stopped	core-bmd-smartview	Core for Blackmagic Design SmartView and SmartScope	0.1.4 ▼ Update to 1.0.1
Stopped	core-netio-powersocket	Core for NETIO Power Management Devices	1.0.0 ▼
Stopped	core-panasonic-ptz	Panasonic PTZ Broadcast IP Cameras	1.0.3-pre3 ▼
Stopped	core-protocol-osc	Send and reliev OSC commands	0.0.1 ▼ Update to 0.0.2-pre3

Please note, prerelease updates are only available when using the Show Pre-Release toggle at the top of the page.



To revert back to a previous version of a package click on the drop down in the Versions column and select the desired version.

Stopped	core-bmd-camctrl	Blackmagic Camera Control	0.0.3-pre3 ▲
Stopped	core-bmd-smartview	Core for Blackmagic Design SmartView and SmartScope	0.0.3-pre3 0.0.2 0.0.1

It can be necessary to manually upload a package file from your computer, this could be because the panel is used in an offline workflow or because support has sent a package file for the customer to test. This is done from the Upload and install package button at the bottom of the Packages page.

Want to install a package manually?

Upload and install package

All of our current stable release and prerelease of our cores are available on our website devices.skaarhoj.com.

Special Packages

devicecore-connector is a bridge used on this particular Blue Pill that will make the device cores on it available to the outer world. This is used when for an architecture where separate Blue Pills run the device cores locally to load balance or manage network latency - or in the

simple case of Blue Pills with SKAARHOJs series of extension cables which bridges connectivity to legacy serial systems (RS-422, RS-485, RS-232 and analog voltages for lens control etc.). In those cases, having a device core run locally on that Blue Pill is not only necessary because it needs to talk directly to UARTs, but it also means that single-master serial devices (and, this is what most of them are...) are available for multi-master access via the device core TCP interface.

More Special Packages and details coming soon...

Licensed Packages

Most of our devices cores do not require any special permissions or licenses to use. They can be installed when needed as your needs change. However there are some packages that do require a Skaarhoj assigned license. These generally involve using a 3rd Party Panel in your Blue Pill workflow.

If you are unsure if the package you need requires a license or license fee please reach out to support@skaarhoj.com.

Some examples of licensed packages are:

Device Core Link

TCP Link for Atem

HID Devices

StreamDeck

X-Keys

The licensed packages can all be downloaded and installed but have a run time of 10 mins. This allows for our customers to test the packages to see if they will meet their needs before needing to purchase the license. To continue the testing, restart the device core package, wait 1 minute, then you can use it again for another 10 minutes.